

Datavideo Product Compare

<https://test.datavideo.cn/>

Model Number	MS-2850
Product	HD/SD 8/12通道移动演播室
切换台	SE-2850-8/12
17.3"机架监看屏幕	TLM-170LM x1 (MS-2850A/C/E/F) TLM-170VM x1 (MS-2850G/H)
录像机	HDR-70 x1
通话系统	ITC-100 w/4 Belt pack
波监矢量测试器	Built in TLM-170VM (MS-2850G/H)
音频延迟器/ 调音台	AD-100M (MS-2850A/E/G) AD-200 (MS-2850C/F/H)
电源	PD-2A
回看视频	RP-64 (MS-2850G/H)
摄像机控制系统	----
摄像机电源	PD-6A (MS-2850G/H)
网络直播编码器	----
4K转高清八机位影像处理器	KMU-100 (MS-2850E/F)
SDI/HDMI信号分配器	VP-445 (MS-2850G)
机柜尺寸	8RU Flight Case

重量	65 kg
工作温度	0~40 °C
产品内含	1 x MS-2850 product 4 x ITC-100SL (Bag) 4 x Tally LED TD-3 4 x Headphone 1 x Goose neck MIC 1 x Goose neck LED light 4 x XLR Cable + CON 20M 4 x GPI Cable Stereo 1.2M 1 x AC Power Cord 1 x Y type USB cable 5 x 120mm cable tie 10 x 200mm cable tie 1 x Y type 2 pin MOLEX cabl 2 x 2.5" HDD enclosure 10 x Screw M3*4mm 10 x Anti-vibration screw + M5*10 washer 2 x ISO screw 2*6mm 2 x HD sticker 4 x Blank sticker 4 x Black Velcro 36cm
选配产品规格	
摄像机电源分配器	----
摄像机电源稳压器	----
冗余电源 (360W)	----
综合线缆	----
CB-22H/23H 中继站	VP-781
SDI/通话线缆	CB-46/47 (30/50m)
通话/TALLY 线缆	CB-3/4 (20m/50m)

HDMI线缆	CB-60/61/62 (30m/50m/100m)
100m SDI 中 继器	VP-633 / VP-634